


**SGS Agri Food Laboratory**  
2nd Floor Panther Park  
11 Berkley Road  
Maitland, Cape Town

Phone: +27 21 506 4931  
Fax: +27 866885597  
Web: [www.sgs.com](http://www.sgs.com)  
Email: [chricilia.jordaan@sgs.com](mailto:chricilia.jordaan@sgs.com)

Customer name	<b>SIGNALS HOME ENTERTAINMENT t/a PET HABITAT</b>
Customer address:	96 Rosmead Avenue
	Unit 8 Rosmead Place
	Kenilworth
	7708
Contact person:	Igshaam Safodien
Issue date:	01 October 2014
Quote no:	N/A
Order no:	N/A
Date received:	16 September 2014
Date started:	19 September 2014
Date completed:	26 September 2014
Sample type:	<b>PETS CHOICE ERAGROSTIS HAY</b>
No. of samples	1
Condition of sample:	Room temperature. No deviation from standard.
Sample Identification:	As per page 2



Laboratory Manager  
Technical Signatory  
C Jordaan

This document is issued by the Company under its General Conditions of Service, accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

**WARNING:** The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and/or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of all goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. Any unauthorised alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Agri Food Laboratory is accredited by SANAS and conforms to the requirements of ISO 17025 for specific test(s) as indicated on the scope of accreditation to be found at <http://sanas.co.za>.

SAMPLE IDENTIFICATION	
Pets Choice	
Natural Eragrostis Hay	
1kg	

Method no.	Analyte	Unit	Result
WI-ASN-001 based on AOAC 2001.11 (Kjeltec)	Protein (N x 6,25)	g/kg	64,9
WI-AN-029 based on AOAC 2003.06	Crude Fat (Hexanes extraction)	g/kg	16,3
# WI-AN-014 based on AOAC 930.15	Moisture	g/kg	155
# AOAC 942.05	Ash	g/kg	37,9
# WI-AN-016 based on AOAC 978.10	Crude Fibre	g/kg	303
# WI-AN-022 (ICP-MS)	Calcium (Ca)	g/kg	2,8
# WI-AN-022 (ICP-MS)	Phosphorous (P)	g/kg	1,2
# Calculated by difference	Carbohydrates	g/kg	423

## SANAS Accredited Test Method.

Results marked “#” are not included in the SANAS Schedule of Accreditation for this laboratory.  
Values reported as “<” are lower than the limit of quantification.

  
 Laboratory Manager  
 Technical Signatory  
 C Jordaan